


Due to printing issues, there may be slight deviations in the color of the product from the actual product. Please refer to the actual product and the pictures are for reference only; Our company reserves the final interpretation right for the materials in this brochure.

BATTENPRO

2025 EDITION


ONE PIECE BATTEN SERIES



INFO@BATTENPRO.COM WWW.BATTENPRO.COM



ALUMINUM ONE PIECE BATTEN (RHS)



SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
10*10	1.00
	1.20
12*8	1.00
12*12	1.80
15*7	0.50
15*10	1.00
	1.20
	2.00
15*15	1.00
	1.20
	1.50
	2.00
16*16	1.20
18*8	1.00
19*8.5	0.70
19*19	0.80
	1.00
	1.20
	2.00
20*10	0.80
	1.00
	1.20
	1.50
20*15	2.00
	0.80
	1.00
	1.20
	1.50
	1.70
20*16	2.00
20*16	1.20
20*17	2.00
20B	1.00
20*20	0.60
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
3.00	
22*10	1.00
22*22	1.20

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
25*10	1.00
	1.20
	1.50
25*15	1.00
	1.20
	1.50
25*20	0.90
	1.00
	1.20
	1.60
25*25	0.50
	0.70
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
30*8	1.00
30*10	0.90
	1.00
	1.20
30*15	0.80
	1.00
	1.20
	1.50
	2.00
30*20	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
30*25	3.00
	0.80
	1.00
	1.20
	1.50
	2.00
	3.00
30*30	0.60

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
30*30	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
30*30	2.50
	3.00
	1.00
32*32	1.20
	1.50
	1.00
35*15	0.90
35.2*22.3	3.00
35*25	2.00
38*20	1.00
38*25	0.60
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
38*38	1.00
	1.20
	1.50
	2.00
	2.50
	3.00
38*38	6.50
	0.80
	1.00
	1.20
	1.50
	1.80
40*10	2.00
	1.00
	1.20
	1.50
	1.80
	2.00
40*15	0.80
	1.00
	1.20
	1.50
	2.00
	0.60
40*20	0.80
	1.00
	1.20

ALUMINUM ONE PIECE BATTEN (RHS)



SPECIFICATION(MM) H * W (MM)	THICKNESS
40*20	1.50
	1.80
	2.00
	2.50
	3.00
40*25	0.70
	0.90
	1.20
	1.50
	1.60
	2.00
40*27	2.00
40*28	2.00
40*30	0.60
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
	3.00
40*40	0.60
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
	4.00
45*20	2.00
45*25	0.80
	0.90
	1.00
45*45	1.20
	1.50
	1.80
	2.00
	2.00
48*29	2.00
50*5	0.90
50*7	1.00
50*10	1.00
	1.20
	2.50
	3.00
50*15	1.00
	1.20
	1.20

SPECIFICATION(MM) H * W (MM)	THICKNESS
50*15	1.50
	2.00
	3.00
50*16	1.80
50*20	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
50*25	0.50
	0.60
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
50*30	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
50*35	1.00
50*40	0.70
	0.80
	1.00
	1.20
	1.50
	2.00
50*50	0.60
	0.80
	0.90
	1.00
	1.20
	1.50
1.80	

SPECIFICATION(MM) H * W (MM)	THICKNESS
50*50	2.00
	2.50
	2.80
	3.00
	4.00
	5.00
54*27	1.50
	2.00
55*30	2.00
60*10	1.00
	1.20
60*15	1.00
	1.20
	1.80
	2.00
	2.00
	2.00
60*20	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
	2.00
	3.00
60*25	0.80
	0.90
	1.20
	1.50
	1.80
60*30	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
60*35	2.00
60*38	6.50
60*40	0.60
	0.80
	0.90
	1.00
	1.20
	1.50
1.80	
2.00	

SPECIFICATION(MM) H * W (MM)	THICKNESS
60*40	3.00
	4.00
	5.00
60*50	1.00
	1.20
	1.50
	2.00
	2.50
	3.00
60*60	0.80
	1.00
	1.20
	1.50
	2.00
	2.50
	2.80
	4.00
	4.00
	4.00
70*10	1.00
70*12	1.00
70*15	1.00
70*20	0.80
	1.00
	1.20
	1.50
	2.00
70*23.7	1.20
70*25	2.00
70*30	0.70
	0.80
	1.00
	1.20
	1.50
	1.60
	2.00
	2.50
	3.00
	3.00
70*30 R (GN0875)	2.00
70*40	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
3.00	
70*50	0.80
	1.00
	1.20
	1.50
	1.80

SPECIFICATION(MM) H * W (MM)	THICKNESS
70*50	2.00
	2.50
	3.00
	6.50
70*60	3.00
70*70	1.50
	1.80
	3.00
	6.00
74*24	0.70
75*20	1.50
75*25	1.00
	1.50
	1.80
75*30	1.00
	1.20
	1.50
	2.50
	3.00
	3.00
75*35	0.60
	1.00
	1.20
75*45	1.80
75*50	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
75*70	1.50
75*75	1.00
76*23 (RE)	5.50
76*20	1.20
76*25	0.80
	1.00
	1.20
	1.50
76*38	6.50
76*44	0.60
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
2.50	
3.00	

SPECIFICATION(MM) H * W (MM)	THICKNESS
76*76	1.20
	1.50
	1.80
	2.00
	3.00
80*10	1.00
80*13	1.20
80*15	1.50
	2.00
80*20	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	2.00
80*25	0.80
	1.00
	1.20
	1.50
	2.00
80*30	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
80*40	2.50
	3.00
	3.00
	4.00
	4.00
80*44	1.20
80*50	0.70
	0.80
	0.90
1.00	

ALUMINUM ONE PIECE BATTEN (RHS)



SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
80*50	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
	4.00
80*60	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
3.90	
80*80	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
5.00	
85*18	1.20
86*26	1.00
90*20	0.80
	1.00
	1.20
	1.60
90*25	2.00
	0.90
	0.80
	0.90
90*30	1.00
	1.20
	1.50
	2.00
	2.50
	3.00
	3.00
90*40	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
3.00	
90*50	0.80
	1.00
	1.20
	1.50

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
90*50	1.80
	2.00
	3.00
90*90	1.60
	2.00
91.3*22.2	1.00
95*20	1.50
95*45	2.00
100*10	1.00
	1.20
	1.50
	2.00
100*15	0.80
	1.00
	1.20
	1.50
100*20	2.00
	0.70
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
3.80	
100*25	0.70
	0.80
	1.00
	1.20
	1.50
	1.80
	2.00
100*30	3.00
	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
100*35	1.00
	2.00
	0.70
	0.80
	0.90
100*40	0.80
	1.50
	2.00

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
100*40	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
	3.50
100*44	4.00
	0.80
	0.90
	1.00
	1.20
	1.50
	2.00
	2.50
3.10	
100*46	1.50
100*50	0.70
	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
2.50	
101.5*51	4.00
	4.80
	1.00
	1.10
100*60	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
100*65	3.00
	1.50
	2.30
	3.00
100*70	1.00
	1.30
	1.50
	1.80
100*75	2.00
	1.20
	1.50
	2.00

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
100*75	3.00
100*80	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	2.80
	3.00
100*90	1.60
	2.00
100*100	1.00
	1.20
	1.50
	1.80
	2.00
	2.30
	2.50
	3.00
	3.80
	4.00
	5.00
	6.00
110*30	1.20
111X39.8	2.50
110*40	1.00
110*50	1.50
110*60	1.80
110*65	2.50
	3.00
110*110	2.00
	2.80
113.8X42	1.00
116*76 (GN0941)	2.00
120*10	1.20
120*15	1.20
120*20	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
120*25	0.80
	0.90
	1.00
	1.20
	1.50
	1.80
2.00	

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
120*25	2.50
	3.00
120*30	0.80
	0.90
	1.00
	1.10
	1.20
	1.50
	1.80
	2.00
120*38	2.50
	3.00
120*40	0.80
	0.90
	1.00
	1.20
	1.50
	1.60
	1.80
	2.00
	2.50
	3.00
	4.00
	120*50
1.00	
1.20	
1.50	
1.80	
2.00	
2.50	
3.00	
120*60	4.00
	0.90
	1.00
	1.20
	1.50
	1.80
	2.00
	2.50
120*65	3.00
	4.00
	2.00
120*70	2.00
	3.00
120*75	2.00
	3.00
120*80	1.20
	1.30
	1.50
	1.80
	2.00
	2.50

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
120*80	3.00
	4.00
120*100	1.20
	1.50
	1.80
	2.00
	2.50
	3.00
120*120	4.00
	1.50
	2.00
	2.50
	2.80
	3.00
125*50	3.50
	4.00
	3.00
	2.80
125*65	3.00
130*30	2.00
	1.50
130*40	1.80
	2.00
130*50	1.50
	1.80
130*60	1.50
	1.80
130*65	2.00
	2.50
130*100	2.00
	3.00
130*130	1.50
	2.00
	2.50
135*135	3.00
	2.00
136*50	3.00
140*20	2.00
140*25	1.00
140*30	1.30
140*40	1.50
140*50	1.80
140*60	2.40
140*65	1.50
140*70	2.00
140*80	1.50
140*100	1.80
140*120	2.00
140*140	2.00
	2.50
	3.00
	4.00

ALUMINUM ONE PIECE BATTEN (RHS)




SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
150*10	1.20	150*50	5.00		1.50
150*15	1.20		0.90		1.80
150*20	0.80		1.00	150*150	2.00
	0.90		1.20		2.30
	1.00		1.30		2.50
	1.20		1.50		3.00
	1.50		1.60		3.50
	1.80		1.80		4.00
	2.00		2.00		5.00
	2.50		2.50		6.00
150*25	3.00		3.00	160*20	1.50
	0.80		4.00		1.80
	0.90		5.00	160*25	1.90
	1.00		2.00		2.00
	1.20		2.40	160*30	2.50
	1.50		2.80		1.40
	1.80		1.50	160*40	1.50
	2.00		1.60		2.40
150*30	2.50		2.00	160*50	1.60
	3.00		2.50		2.00
	0.80		3.00	160*60	1.50
	0.90		4.00		2.00
	1.00		1.60	160*70	3.00
	1.20		1.80		2.00
	1.50		2.00	160*80	1.30
	1.80		2.50		1.50
150X35	2.00		3.00	160*100	2.00
	2.50		4.00		2.50
	3.00		1.30	160*160	1.80
	1.30		1.50		2.00
	2.00		1.80	180*20	2.00
	3.00, R2 R		2.00		2.50
	4.00		2.50	180*25	2.00
	0.80		3.00		2.50
150*40	0.90		4.00	180*30	1.50
	1.00		5.00		2.00
	1.20		1.30	180*38	2.50
	1.50		1.50		1.4 S
	1.80		1.80	180*40	1.50
	2.00		2.00		1.60
	2.50		2.50	180*50	2.00
	3.00		2.80		2.50
150*50	4.00		3.00	180*50	1.30
	0.90		3.50		1.50
	1.00		4.00	150*120	1.80
	1.20		4.50		2.00
	1.50		5.00	150*150	2.50
	1.80		2.00		1.30
	2.00		2.50	1.50	
	2.50		3.00	1.80	
3.00		4.00	2.00		
4.00		1.30	2.50		

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	
180*50	4.00	200*30	5.00		2.00	
180*60	1.50		1.3 S	200*100	2.20	
	2.00		1.50		2.50	
	2.80		1.80		2.80	
180*75	3.00	200*40	2.00	200*120	3.00	
	2.50		2.30		3.50	
	3.00		2.50		4.00	
180*80	2.00		3.00	200*150	5.00	
	3.00		4.00		6.00	
180*100	4.80	200*50	5.00	200*180	1.60	
	1.80		1.3 S		2.00	2.00
	2.00		1.50		2.50	2.50
	2.50		1.80		3.00	3.00
180*120	2.00	200*60	2.00	200*200	3.00	
	3.00		2.30		3.50	
	4.00		2.50		4.00	
180*180	2.50	200*65	2.80	205*38	2.00	
	3.00		2.00		2.10	
190*50	2.80	200*70	2.50	210*210	3.00	
190*76	2.50		2.00		2.30	
190*190	4.00	200*75	2.00	225*50	2.00	
192*175	2.00		2.50		3.00	
198*44	2.50	200*80	3.00	230*50	4.00	
200*10	1.8 S		4.00		3.50	230*75
	2.00	6.00	1.80	1.5 S		
200*15	2.50	200*85	2.00	240*30	1.5 S	
	2.00		2.80		2.00	1.5 S
200*20	1.3 S	200*90	2.00	250*20	1.5 S	
	1.50		2.00		2.20	
	1.80		2.50		1.5 S	
200*25	2.00	200*100	3.00	250*25	2.20	
	2.50		1.50		1.3 S	
	3.00		1.80		1.6 S	
200*30	1.3 S	200*100	2.00	250*30	2.00	
	1.50		2.50		2.20	
	1.60		3.00		3.00	
	1.80		4.00		4.00	

ALUMINUM ONE PIECE BATTEN (RHS)

SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)	SPECIFICATION(MM) H * W (MM)	THICKNESS (MM)
250*30	5.00	250*150	5.00	300*100	2.80
250*40	1.3 带筋	250*200	3.00		3.00
	1.6 带筋		3.50		3.50
	2.20		4.00		4.00
	2.50		4.70	5.00	
	3.00	300*20	5.00	2.70	
	4.00		2.2 S	3.00	
250*50	5.00	300*25	1.8 S	3.50	
	1.3 带筋		2.50	4.00	
	1.8 带筋	300*30	3.00	2.50	
	2.00		1.8 S	2.80	
	2.50		2.0 S	3.00	
	3.00		2.50	3.50	
	3.50		3.00	4.00	
	4.00		4.00	5.00	
250*60	5.00	300*40	1.8 S	3.50	
	1.4 带筋		2.50	4.00	
	2.20		3.00	3.50	
	2.50		4.00	3.50	
	2.80	300*50	1.8 S	4.00	
	3.00		2.0 S	2.50	
250*80	4.00	300*60	2.20	2.2 S	
	5.00		2.50	2.50	
	1.5 带筋		3.10	3.00	
	2.00		3.50	3.50	
	2.50		4.00	4.00	
	2.80		5.00	4.00	
	3.00	300*70	2.0 S	2.0 S	
	4.00		2.50	2.50	
250*100	5.00	300*75	3.00	3.00	
	1.60		4.00	3.00	
	2.00		2.50	3.00	
	2.20		2.50	3.00	
	2.50	300*80	4.00	2.00	
	2.80		2.00	2.0 S	
	3.00		2.50	2.50	
	3.50		3.00	3.00	
	4.00		4.00	4.00	
	5.00		5.00	5.00	
250*120	2.00	300*90	3.00	3.00	
	2.50		3.50	3.50	
	2.80	300*100	1.5 S	2.00	
	3.00		2.0 S	2.00	
4.00	2.30	2.30			
250*150	4.00	2.50	2.50		

ALUMINUM ONE PIECE BATTEN (ROUND TUBE)



PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
9.7YG	9.7	1.0
GN1552	12	2.0
GN0207	12.5	1.2
15YG	15	1.0
		1.2
		2.0
16YG	16	3.0
		1.0
		1.2
GN1553	18	4.5
19YG	19	1.0
		1.2
		1.5
20YG	20	1.0
		1.2
		1.5
		2.0
		3.0
21YG	21	1.0
		1.2
		1.4
		2.0
22YG	22	1.2
23.7YG	23.7	1.2
GN1076	24.9	1.5
25YG	25	0.8
		1.0
		1.2
		1.5
		2.0
		2.5
		3.0
		4.0
28YG	28	1.2
29.4YG	29.4	1.5
29.8YG	29.8	2.0
30YG	30	0.8
		1.0
		1.2
		1.5
		1.8
		2.0
		3.0

PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
		5.0
31YG	31	1.5
GN0534	36	1.8
38YG	38	1.0
		1.2
40YG	40	0.8
		1.0
		1.2
		1.5
		1.8
		2.0
41YG	41	3.0
		4.0
		5.0
		2.5
46YG	46	1.5
48YG	48	1.0
50YG	50	0.8
		1.0
		1.2
		1.5
		2.0
		2.5
50.8YG	50.8	2.8
		3.0
		3.8
		1.8
59YG	59	4.0
60YG	60	0.9
		1.0
		1.2
		1.5
		2.0
		3.0
70YG	70	4.0
		1.0
		1.5
		2.0
GN0796	75	4.0
76YG	76	2.0


ALUMINUM ONE PIECE BATTEN (ROUND TUBE)

PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
80YG	80	1.0
		1.2
		1.5
		2.0
		2.5
		3.0
83YG	83	6.8
90YG	90	2.0
100YG	100	1.2
		1.5
		1.8
		2.0
		3.0
		4.0
110YG	110	2.0
120YG	120	1.5
		2.0
		3.0
130YG	130	2.0
150YG	150	1.6
		1.8
		2.0
		2.5
		3.0
160YG	160	2.0
		3.0



PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
180YG	180	2.0
		2.5
		3.0
191YG	191	8.5
200YG	200	2.0
		2.5
		3.0
		4.0
220YG	220	3.0
		3.5
		4.0
230YG	230	5.0
240YG	240	5.0
250YG	250	5.0
260YG	260	5.0
270YG	270	5.0
280YG	280	5.0
290YG	290	5.0
300YG	300	5.0
310YG	310	5.0
320YG	320	10.0
		20.0
		40.0
		50.0
		85.0




ALUMINUM L ANGLE



PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
GN3117	6*6	1.0
GN0677	6.5*6.5	2.0
	8*8	2.0
		3.0
		3.0
GN2806	10x7	0.6
		0.8
		1.0
GN0538	10*10	1.5
		2.0
		3.0
GN0920	10*15	1.0
GN1360	12*12	1.2
	14*12	1.2
	15*10	1.5
		1.4
		1.8
		2.0
		2.0
	18*12	1.8
		2.0
		1.8
		0.8
		2.0
		2.0
		1.0
		1.6
		2.0
		2.5
3.0		
	20*20	1.6
		2.0
		2.5
		3.0
		4.0
		1.2
		1.3
		1.5
		1.5
		2.0
GN0638	25*25 (R)	2.0
	25*15	1.8
	27*17	2.0
	28*19	3.2
	25*28	2.8
GN0246	30*10	0.5
	30*15	3.0
	30*20	1.0
	30*20	1.2

PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
	30*20	1.5
		2.0
		2.5
		3.0
	30*25	3.0
		3.0
GN1183	30*30	0.8
		1.0
		1.5
	30*30	2.0
		2.8
		2.8
GN0515	30*33	1.0
SL-GN0550	32*32	3.0
	37X37	2.5
	38X38	3.0
	39.5*26	3.0
		3.0
		3.0
GN0395(39.6 F R)		8.9
	40*20	1.8
		3.0
		3.0
SL-GN0134	40*30	1.5
		2.0
		2.0
	40*40	2.0
		3.0
		4.0
		6.0
500801		9.0
	45*20	2.9
		2.0
		2.0
	45X20 R	2.0
		3.0
		3.0
GN0005	48*16.5	3.0
		3.0
		3.0
	50*6.2	1.2
		2.0
		3.0
	50*30	2.0
		3.0
		2.0
		2.5
		3.0
	50*50	4.0
		5.0
		5.0
	52*25	3.0
		3.0
	60*26	2.8
		2.0
		3.0
		4.0
	60X60	4.0
		8.0
		8.0

ALUMINUM L ANGLE




PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
	75*20	2.0
	75*25	3.0
	75*50	6.0
	75*75	2.9
	80*40	2.0
		3.0
	98*28	3.0
GN5000	100*50	3.0
GN1042		4.0
GN1041	100*80	4.0
GN5004	100*100	3.0
	150*75	6.0
	150*150	6.0

BATTENPRO


Contact: info@battenpro.com
 Website: www.battenpro.com

FLAT BAR SPECIFICATIONS



PROFILE NUMBER	OUTER DIAMETER (MM)	THICKNESS (MM)
	5	3.0
	10	5.0
	15	2.0
GN2756	15	7.0
	17	13.0
	19	3.8
GN0807	20	1.5
		2.0
		3.0
		4.0
		5.0
		2.0
	25	2.5
		3.0
		4.0
		5.0
	30	2.0
		3.0
		5.0
	40	2.0
		3.0
		5.0
	50	2.0
		3.0
		4.0
		5.0
GN0884		15.0
	60	3.0
GN0092		6.0
		10.0
	80	4.0
GN0624		12.0
	90	6.0
	100	1.5
		6.0
120BT	120	16.0
150BT	150	6.0
175BT	175	2.0
200BT	200	5.0

END CAP SPECIFICATIONS



PROFILE NUMBER	THICKNESS (MM)
15FG	0.7
20FG	0.7
20FG-2.0	1.5 (W / 2.0)
25FG	1
30FG	0.7
30FG -2.0	1.5 (W / 2.0)
35FG	0.8
40FG	1
40FG-2.0	1.5 (W / 2.0)
44FG	1
50FG	1.1
GN1189(50FG)	1.1
50FG-2.0	1.5 (W / 2.0)
50FG-3.0	1.5 (配 3.0)
60FG	1.5
60FG-2.0	1.5 (W / 2.0)
75FG	1.2
80FG	1.1
80FG-2.0	1.5 (W / 2.0)
100FG	1.2
100FG-G	1.2 (W / 2.0)
150FG-2.0	2.0 (W / 2.0)